



ENGLISH

ROCK6

ROCK8

High Fidelity
Outdoor Speaker

OWNER'S MANUAL

Version 1.2 Winter, 2019

NOX AUDIO is a registered trademark in The USA



By syncrotek

PRODUCT DESCRIPTION

Thank you for choosing NOX AUDIO

We hope you enjoy each and every use of this product. We suggest that you read this user manual carefully before primary use in order to utilize all of the features in functions installed. Please store it in a safe place for future reference and pass it on to the next owner.

CAUTION & SAFETY GUIDE

Although you're new ROCK speakers are designed to with stand outdoor weather conditions, we suggest the following steps be taken in order to prolong the life and quality of your speakers.

- Keep the speaker grill clean and clear of leaves, dirt/mud etc... in the event that dirt or mud appear on the grill rinse the speaker with water only.
- Avoid installing the speakers directly in line with sprinkler jets as this may cause damage to the inner components of the speakers.
- Avoid spraying or spreading chemicals for plant or grass growth on the speaker.
- Doing so may damage the outer layer of the speaker as well as the protective rubber gaskets used to seal the speaker.

FEATURES

- Natural gray finish blends effortlessly into any garden or landscape.
- Impressive power output delivers rich, balanced sound throughout any room or garden.
- Specially designed to withstand extreme heat and cold without failure or deterioration.
- Easy do it yourself installation.

INSTALLATION

Although installing the speaker/s is simple enough to do yourself, we strongly suggest you consult with a professional before doing so.

- Color 1 Brown COM (Transformer)
- Color 2 blue+ (Transformer 100V)
- Color 3 Yellow + (Transformer 70V)
- Color 4 Gray - (Bypass transformer, directly to speaker 8Ω)
- Color 5 White + (Bypass transformer, directly to speaker 8Ω)

SPECIFICATIONS	ROCK6	ROCK8
Frequency Response	90Hz -18KHz	70Hz -18KHz
Sensitivity	88db	89db
Woofer Type	6.5"	8"
Tweeter Type	1"	1"
Impedance	8Ω	8Ω
RMS Power handling @ 8Ω	40 Watt	60 Watt
Transformer power 70V & 100V	15W	20W
Color Options	Sand Stone / Lava Black	Sand Stone / Lava Black
IP Rating	65	65
Dimensions (HWD)	9"x10.2"x8.26" - 23cmx26cmx21cm	13"x12.6"x11" - 33cmx32cmx28cm
Weight	6.83 lbs - 3.1 kg	12.125 lbs - 5.5 kg

Nox Audio

E sales@noxaudio.com

W www.noxaudio.com

NOX AUDIO is a registered trademark in The USA

Copyright © Winter, 2019, Nox Audio by Syncrotek Holding. All rights reserved. Due to constant improvement of products, all or some specifications are therefore subject to change without prior notice.



Technical Department
techsupport@noxaudio.com

